

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 13, 2018

Revision: December 13, 2018

## 1 Identification

- **Product identifier**

- **Trade name: CLP Liquid**

- **Product code:**

1009216, 1009217, 1009221, 1009222, 1009223, 1009229, 1009230, 1009231, 1009232, 1009233, 1009234, 1009236, 1009237, 1009241, 1009242, 1009243, 1009245, 1009247, 1009251, 1008912, 1166012, 1009254, 100925

(CLP-11-1, CLP-11-10, CLP-16-1, CLP-16-120, CLP-16-20, CLP-20-1, CLP-20-10, CLP-3-1, CLP-4-1, CLP-4-10, CLP-4-100, CLP-5-1, CLP-5-10, CLP-7-1, CLP-7-4, CLP-7040-1, CLP-8-1, CLP-8-6, CLP-9-4, CLP-PS-BULK, CLP-P2, CLP-PS-1, CLP-PS-10)

- **Other means of identification:** CLP MIL-E REV D

- **Recommended use and restriction on use**

- **Recommended use:** Lubricant

- **Restrictions on use:** Contact manufacturer/supplier

- **Details of the supplier of the Safety Data Sheet**

- **Manufacturer/Supplier:**

Safariland, LLC

11386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200



- **Emergency telephone number:**

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**

Skin Irrit. 2 H315 Causes skin irritation.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- **Additional information:**

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- **Label elements**

- **GHS label elements**

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS07 GHS08

- **Signal word:** Danger

- **Hazard statements:**

H315 Causes skin irritation.

H304 May be fatal if swallowed and enters airways.

(Cont'd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 13, 2018

Revision: December 13, 2018

**Trade name: CLP Liquid**

(Cont'd. of page 1)

· **Precautionary statements:**

- P102 Keep out of reach of children.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P331 Do NOT induce vomiting.
- P302+P352 If on skin: Wash with plenty of soap and water.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 1  
Instability = 0

· **HMIS-ratings (scale 0 - 4)**



HEALTH 1 Health = 1  
FIRE 1 Fire = 1  
REACTIVITY 0 Reactivity = 0

## 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

68649-11-6	1-decene, dimer, hydrotreated ⚠ Asp. Tox. 1, H304 ⚠ Acute Tox. 4, H332	10-40%
68037-01-4	1-Decene, homopolymer, hydrogenated ⚠ Asp. Tox. 1, H304	10-40%
64742-52-5	distillates (petroleum), hydrotreated heavy naphthenic ⚠ Asp. Tox. 1, H304	5-10%
57855-77-3	Calcium dinonylnaphthalenesulfonate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	5-10%
120962-03-0	canola oil	1-5%

· **Additional information:**

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

## 4 First-aid measures

· **Description of first aid measures**

- **General information:** No special measures required.
- **After inhalation:**

(Cont'd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 13, 2018

Revision: December 13, 2018

**Trade name: CLP Liquid**

(Cont'd. of page 2)

- Supply fresh air; consult doctor in case of complaints.
- Provide oxygen treatment if affected person has difficulty breathing.
- In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Wash with soap and water.
- **After eye contact:**
  - Remove contact lenses if worn.
  - Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
  - Rinse out mouth and then drink plenty of water.
  - Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**
  - Irritant to skin and mucous membranes.
  - Gastric or intestinal disorders when ingested.
- **Danger:** May be fatal if swallowed and enters airways.
- **Indication of any immediate medical attention and special treatment needed:**
  - If swallowed, gastric irrigation with added, activated carbon.
  - If swallowed or in case of vomiting, danger of entering the lungs.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
  - Foam
  - Fire-extinguishing powder
  - Gaseous extinguishing agents
  - Carbon dioxide
  - Water fog / haze
- **For safety reasons unsuitable extinguishing agents:** Water stream.
- **Special hazards arising from the substance or mixture**
  - Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
  - Wear self-contained respiratory protective device.
  - Wear fully protective suit.
- **Additional information:** No relevant information available.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
  - For large spills, wear protective clothing.
  - For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
  - Ensure adequate ventilation.
  - Particular danger of slipping on leaked/spilled product.
- **Environmental precautions**
  - Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Methods and material for containment and cleaning up**
  - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Cont'd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 13, 2018

Revision: December 13, 2018

**Trade name: CLP Liquid**

(Cont'd. of page 3)

Send for recovery or disposal in suitable receptacles.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.

Protect from humidity and water.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

· **Further information about storage conditions:** Keep containers tightly sealed.

· **Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**120962-03-0 canola oil**

OEL (Canada) Short-term value: 10\* 3\*\* mg/m<sup>3</sup>

\*Mist \*\*Respirable Dust

· **Exposure controls**

· **Engineering measures** Provide adequate ventilation.

· **General protective and hygienic measures:**

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· **Engineering controls:** Provide adequate ventilation.

· **Breathing equipment:**

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when high concentrations are present.

· **Protection of hands:**

Rubber gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Cont'd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 13, 2018

Revision: December 13, 2018

**Trade name: CLP Liquid**

(Cont'd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Sensibilization by the components in the glove materials is possible.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Nitrile rubber, NBR

Neoprene gloves

Natural rubber, NR

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· **Body protection:**

Protective work clothing

Protection may be required for spills.

· **Limitation and supervision of exposure into the environment** No special requirements.

· **Risk management measures**

See Section 7 for additional information.

No special requirements.

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

Form: Liquid

Color: Amber colored

· **Odor:** Mild

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** Not determined.

· **Flash point:** >94 °C (>201.2 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Auto-ignition temperature:** >260 °C (>500 °F)

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

(Cont'd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 13, 2018

Revision: December 13, 2018

Trade name: CLP Liquid

(Cont'd. of page 5)

· <b>Explosion limits</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Oxidizing properties:</b>	Non-oxidizing.
· <b>Vapor pressure at 20 °C (68 °F):</b>	0.7 hPa (0.5 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	0.86 g/cm <sup>3</sup> (7.18 lbs/gal)
· <b>Relative density:</b>	Not determined.
· <b>Vapor density:</b>	Not determined.
· <b>Evaporation rate:</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Other information</b>	No relevant information available.

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Reacts with strong oxidizing agents.  
Reacts with strong acids.  
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.
- **Conditions to avoid** Store away from oxidizing agents.
- **Incompatible materials** No relevant information available.
- **Hazardous decomposition products**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides  
Danger of toxic pyrolysis products.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**68649-11-6 1-decene, dimer, hydrotreated**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

(Cont'd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 13, 2018

Revision: December 13, 2018

**Trade name: CLP Liquid**

(Cont'd. of page 6)

Inhalative	LC50/4h	4-5 mg/l (rat) (Compilation of results)
------------	---------	---

**64742-52-5 petroleum distillates, hydrotreated**

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

Dermal	LD50	>5,000 mg/kg (rabbit)
--------	------	-----------------------

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Slight irritant effect on eyes.
- **Sensitization:** No sensitizing effects known.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable route(s) of exposure:**

Skin contact.  
Eye contact.  
Ingestion.  
Inhalation.

· **Acute effects (acute toxicity, irritation and corrosivity):**

May be fatal if swallowed and enters airways.  
Irritating to skin.

· **Repeated dose toxicity:** No relevant information available.

· **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

· **Carcinogenicity:** Based on available data, the classification criteria are not met.

· **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· **STOT-single exposure:** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

· **Aspiration hazard:** May be fatal if swallowed and enters airways.

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity** No relevant information available.

· **Persistence and degradability** Biodegradable.

· **Bioaccumulative potential:** No relevant information available.

· **Mobility in soil:** No relevant information available.

· **Ecotoxic effects:**

· **Remark:** Due to mechanical actions of the product (e.g. agglutinations), damages may occur.

· **Additional ecological information**

· **General notes:**

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

(Cont'd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 13, 2018

Revision: December 13, 2018

**Trade name:** CLP Liquid

(Cont'd. of page 7)

· **Other adverse effects** No relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Smaller quantities can be disposed of with household waste.

Product is recyclable as a waste oil. Deliver unused and/or contaminated product to waste oil collectors.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· **Uncleaned packagings**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· **UN-Number**

· DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

· **UN proper shipping name**

· DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

· **Transport hazard class(es)**

· DOT, ADR/RID/ADN, IMDG, IATA

· Class Not regulated.

· **Packing group**

· DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

· **Environmental hazards**

· Marine pollutant: No

· **Special precautions for user**

Not applicable.

· **Transport in bulk according to Annex II of**

**MARPOL73/78 and the IBC Code** Not applicable.

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· United States (USA)

· SARA

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

(Cont'd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 13, 2018

Revision: December 13, 2018

**Trade name: CLP Liquid**

(Cont'd. of page 8)

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL) (Substances not listed.):**

68037-01-4	1-Decene, homopolymer, hydrogenated
8042-47-5	White mineral oil, petroleum

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

LDLo: Lowest Lethal Dose Observed

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Asp. Tox. 1: Aspiration hazard – Category 1

· **Sources**

(Cont'd. on page 10)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 13, 2018

Revision: December 13, 2018

**Trade name: CLP Liquid**

(Cont'd. of page 9)

SDS Prepared by:  
ChemTel Inc.  
1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: [www.chemtelinc.com](http://www.chemtelinc.com)